

Technical Data Sheet

Brand Calsil
Market Chemicals
Product name Calsil IV 0.65 – 2

1. Product Description

A volatile ultra-low viscosity fluid composed of polydimethylsiloxane polymer.

2. Key Properties

- Base ingredient in a large number of industrial formulations
- Very low surface tension
- Soluble in most organic solvents and spray propellants
- Stable physical properties from -40° to +200°Celsius

3. Benefits

- Excellent wetting
- High performance lubricant
- Excellent release, gloss and water-repellence
- Chemically inert, odourless, colourless, non-stain, non-toxic

4. Applications

May be used in a wide range of industrial applications :

- As glass vial and lens coatings
- As ingredient in household products, mechanical fluids, penetrating oils, surface active agents, coatings, polishes.

5. Typical Properties (not for sales specifications)

Properties	Units	IV 0,65	IV 1	IV 1,5	IV 2
Appearance		Clear Liquid	Clear Liquid	Clear Liquid	Clear Liquid
Viscosity	mm ² /s at 25°C	0,65	1	1,5	2
Specific gravity	At 25°C	0,760	0,816	0,851	0,872
Refractive Index	At 25°C	1,374	1,383	1,387	1,390
Flash Point	°C, closed cup	-1	30	57	87
Surface Tension	Dynes/cm	15,9	17,4	18,0	18,7

6. Handling

This document does not contain safety precautions. Before handling this material, please read the Material Safety Data Sheet, check the label on the container, and conform to the safety, physical and hazard guidelines and precautions. The Material Safety Data Sheet is available from your nearest CALDIC office.

7. Storage and Shelf Life

This product should be stored in its original unopened containers at a temperature above 0°C and below 35°C. It can be used within the 36 months following its production date.

8. Packaging

Available in 1.000 kg IBC, 200 kg Drums and 25 kg Pails.


9. Restrictions

This ingredient is solely proposed in technical applications, It is not suitable to be used in medical, human injection or pharmaceutical applications.

10. Limited Warranty PLEASE READ CAREFULLY

- The information herein is offered in good faith. It is believed to be accurate at the time of shipment.
- It should not be used as a substitute for the customer's test, the customer bears the responsibility to ensure that the product matches the intended application is safe and achieves the desired benefits.
- The product warranty is limited to the refund value of the purchase or the replacement only when it is demonstrated that the product is out of the agreed sales specifications.
- Calsil is a registered trademark of CALDIC BV. All rights reserved.

For more information, please contact our nearest office

Caldic B.V.	Phone +31 (0)10 413 64 20
Westerlaan 1	info@caldic.com
3016 CK Rotterdam	www.caldic.com
The Netherlands	 Follow our latest updates on LinkedIn